

NEET – 2024

MODEL TEST





**CENTRE FOR EDUCATIONAL DEVELOPMENT OF MINORITIES
OSMANIA UNIVERSITY**


Minorities Welfare Department, Government of Telangana
Nizam College Campus, Gunfoundry, Hyderabad – 500001.

PHYSICS
SECTION - A

- In $S = a + bt + ct^2$, S is measured in meters and t in seconds. The unit of c is
 1) ms^{-2} 2) m 3) ms^{-1} 4) No units
- A particle starts from rest. Its acceleration (a) versus time (t) graph is as shown in the figure. The maximum speed of the particle will be
 1) 110 m/s 2) 55 m/s
 3) 550 m/s 4) 660 m/s
- A ball is thrown vertically upwards. Which of the following graphs represent velocity-time graph of the ball during its flight? (air resistance is neglected)



- As shown in figure the tension in the horizontal cord is 30 N. The weight W and tension in the string OA in Newtons are
 1) $30\sqrt{3}, 30$ 2) $30\sqrt{3}, 60$ 3) $60\sqrt{3}, 30$ 4) None of these
- A ball is thrown from ground level so as to just clear a wall 4 metres high at a distance of 4 metres and falls at a distance of 14 metres from the wall. The magnitude of velocity of the ball will be




- 1) $\sqrt{182}m/s$ 2) $\sqrt{175}m/s$ 3) $\sqrt{165}m/s$
 4) $\sqrt{155}m/s$
- A particle is moving in a circular path with velocity varying with time as $v = 1.5t^2 + 2t$. If the radius of circular path is 2 cm, the angular acceleration at $t = 2$ sec will be
 1) 4 rad/sec^2 2) 40 rad/sec^2 3) 400 rad/sec^2 4) 0.4 rad/sec^2

- A body of mass m tied at the end of a string of length l is projected with velocity $\sqrt{4lg}$, at what height will it leave the circular path
 1) $\frac{5}{3}l$ 2) $\frac{3}{5}l$ 3) $\frac{1}{3}l$ 4) $\frac{2}{3}l$

- The equivalent resistance between A and B is
 1) $16/3\Omega$ 2) 16Ω 3) 8Ω 4) $3/16\Omega$




- The magnitude of the force (in Newton) acting on a body varies with time t (in microsecond) as shown in fig. AB, BC, and CD are straight line segments. The magnitude of the total impulse on the body from $t = 4 \mu s$ to $16 \mu s$ is







- 1) $5 \times 10^{-4} N.s$ 2) $5 \times 10^{-3} N.s$ 3) $5 \times 10^{-5} N.s$
 4) $5 \times 10^{-2} N.s$

- Three equal weights of mass m each are hanging on a string passing over a fixed pulley as shown in fig. The tensions in the string connecting weights A to B and B to C will respectively be



- 1) $\frac{2}{3}mg, \frac{2}{3}mg$ 2) $\frac{2}{3}mg, \frac{4}{3}mg$ 3) $\frac{4}{3}mg, \frac{2}{3}mg$ 4) $\frac{3}{2}mg, \frac{3}{4}mg$



11. A block of mass 2 kg is on a horizontal surface. The co-efficient of static & kinetic frictions are 0.6 & 0.2. The minimum horizontal force required to start the motion is applied and if it is continued, the velocity acquired by the body at the end of the 2nd second is ($g = 10\text{ms}^{-2}$)
- 1) $8\text{N}, 8\text{ms}^{-1}$ 2) $8\text{N}, 4\text{ms}^{-1}$ 3) $8\text{N}, 2\text{ms}^{-1}$ 4) $8\text{N}, \text{zero}$
12. Two satellites S_1 , and S_2 , revolve round a planet in the same direction in circular orbits. Their periods of revolutions are 1 hour and 8 hour respectively. The radius of S_1 , is 10^4 km . The velocity of S_2 , with respect to S_1 , will be
- 1) $\pi \times 10^4\text{ km/hr}$ 2) $\pi/3 \times 10^4\text{ km/hr}$ 3) $2\pi \times 10^4\text{ km/hr}$ 4) $\pi/2 \times 10^4\text{ km/hr}$
13. A uniform steel wire of density 7800kg/m^3 is 2.5 m long and weighs $15.6 \times 10^{-3}\text{ kg}$. It extends by 1.25 mm when loaded by 8kg. Calculate the value of young's modulus of elasticity for steel.
- 1) $1.96 \times 10^{11}\text{N/m}^2$ 2) $19.6 \times 10^{11}\text{ N/m}^2$ 3) $196 \times 10^{11}\text{ N/m}^2$ 4) None of these
14. An ideal gas expands isothermally from a volume V_1 to V_2 and then compressed to original volume V_1 adiabatically. Initial pressure is P and final pressure is P_3 . The total work done is W . Then
- 1) $P_3 > P_1, W > 0$ 2) $P_3 < P_1, W < 0$ 3) $P_3 > P_1, W < 0$ 4) $P_3 = P_1, W = 0$
15. A charged ball B hangs from a silk thread S, which makes an angle with a large charged conducting sheet P, as shown in the figure. The surface charge density σ of the sheet is proportional to
- 1) $\sin \theta$ 2) $\tan \theta$ 3) $\cos \theta$ 4) $\cot \theta$
16. Figure given below shows two identical parallel plate capacitors connected to a battery with switch S closed. The switch is now opened and the free space between the plates of capacitors is filled with a dielectric of dielectric constant 3. What will be the ratio of total electrostatic energy stored in both capacitors before and after the introduction of the dielectric?
- 1) 3:1 2) 5:1 3) 3:5 4) 5:3
17. In the fig. shown, Calculate the current through 3 ohm resistor. The emf of battery is 2 volt and its internal resistance is $2/3$ ohm.
- 1) 0.33 amp 2) 0.44 amp 3) 1.22 amp 4) 0.88 amp
18. A thin circular wire carrying a current I has a magnetic moment M . The shape of the wire is changed to a square and it carries the same current. It will have a magnetic moment
- 1) M 2) $\frac{4}{\pi^2} M$ 3) $\frac{4}{\pi} M$
- 4) $\frac{\pi}{4} M$
19. Consider the arrangements shown in figure in which the north pole of a magnet is moved away from a thick conducting loop containing capacitor. Then excess positive charge will arrive on
- 1) plate a 2) plate b
3) both plates a and b 4) None of the plates a and b
20. A current 10 A in the primary coil of a circuit is reduced to zero at a uniform rate in 10^{-3} second. If the coefficient of mutual inductance is 3H, the induced e. m.f. in the secondary coil will be
- 1) 3 kV 2) 30 kV 3) 2 kV
4) 20 kV



21. An alternating current is given by the equation $i = i_1 \cos \omega t + i_2 \sin \omega t$. The r.m.s. current is given by
- 1) $\frac{1}{\sqrt{2}}(i_1 + i_2)$ 2) $\frac{1}{\sqrt{2}}(i_1 + i_2)^2$ 3) $\frac{1}{\sqrt{2}}(i_1^2 + i_2^2)^{1/2}$ 4) $\frac{1}{2}(i_1^2 + i_2^2)^{1/2}$
22. A light beam travelling in the X-direction is described by the electric field E_y , (300V/m) $\sin \omega(t - x/c)$. An electron is constrained to move along the Y - direction with a speed of 2.0×10^7 m/s. The maximum magnetic force (in N) on the electron is.
- 1) 3.2×10^{-18} 2) 5.1×10^{-16} 3) 6.5×10^{-11} 4) 7.8×10^{-12}
23. In Bohr model of atom an electron of charge (-e) and mass m is revolving around a nucleus of charge +ze. If \bar{L} is the orbital angular momentum of electron, then its magnetic moment is given by
- 1) $-\frac{e}{2m}\bar{L}$ 2) $\frac{e}{2m}\bar{L}$ 3) $\frac{-Ze}{2m}\bar{L}$ 4) $\frac{Ze}{2m}\bar{L}$
24. Energy levels A, B, C of a certain atom corresponding to increasing values of energy i. e. $E_A < E_B < E_C$. If $\lambda_1, \lambda_2, \lambda_3$ are the wavelengths of radiations corresponding to the transitions C to B, B to A and C to A respectively, which of the following statements is correct?


- 1) $\lambda_3 = \lambda_1 + \lambda_2$ 2) $\lambda_3 = \frac{\lambda_1 \lambda_2}{\lambda_1 + \lambda_2}$ 3) $\lambda_1 + \lambda_2 + \lambda_3 = 0$ 4) $\lambda_3^2 + \lambda_1^2 + \lambda_2^2$

25. In the given figure, the diodes in forward biased are



- 1) A, B, C only 2) B, C only 3) A, C only 4) A only
26. An ideal gas undergoes a thermodynamics cycle as shown in figure. Which of the following graphs represents the same cycle?

27. A uniform rope of mass m and length L is hung freely from stationary ceiling. If the cross sectional area of rope is A and Young's modulus Y, then net elongation in the rope due to its



- 1) 28N 2) 32 N 3) 126N 4) 7N

44. **Statement (A):** The stretching of a coil is determined by its shear modulus.

Statement (B): Of the three states of matter the bulk modulus of elasticity is maximum for gases.

- 1) Both Statements - A & B are true
 2) Statement A is true and Statement B is false
 3) Statement - A is false and Statement - B is true
 4) Both Statements A & B are false

45. Excess pressure inside the drop of mercury of radius 3.00mm is (surface tension of mercury is $4.65 \times 10^{-1} \text{Nm}^{-1}$)

- 1) 860 Pa 2) 1240 Pa 3) 620 Pa 4) 310 Pa

46. For an ideal gas at absolute temperature T, the coefficient of volume expansion at constant pressure is


- 1) $2/T$ 2) $3/T$ 3) $1/T$ 4) $1/T^2$

47. A uniform wire of resistance R is uniformly compressed along its length, until its radius becomes n times the original radius. Now resistance of the wire becomes

- 1) $\frac{R}{n^4}$ 2) $\frac{R}{n^2}$
 3) $\frac{R}{n}$ 4) nR

48. A gas undergoes a thermodynamic process ABC. The total work done by the gas is

- 1) 200 J 2) 300 J
 3) 900 J 4) 450 J



49. A body describes S.H.M. with an amplitude 5cm and period 0.2s. Velocity of the body when the displacement is 3cm is (in cm s⁻¹)

- 1) $5\pi^2$ 2) 40π 3) 50π 4) $3\pi^2$

50. A string of mass 2.5kg is under a tension of 200N. The length of stretched string is 20m. If a transverse jerk is struck at one end of the string, the time taken by the jerk to reach the other end

- 1) 0.5 s 2) 1.5 s 3) 2 s 4) 2.5 s

CHEMISTRY

SECTION - A

51. A mixture of gases contains H₂ and O₂ gases in the ratio of 1:4 (w/w). What is the molar ratio of the two gases in the mixture?

- 1) 16 : 1 2) 2 : 1 3) 1 : 4 4) 4 : 1


52. In H-atom spectrum electron jumps from 5th excited state to 1st excited state then total number of spectral lines, number of lines in Lyman series and Paschen series respectively are:

- 1) 10, 4, 3 2) 15, 0, 4 3) 15, 4, 5 4) 10, 0, 3

53. The angular momentum of electron in 'd' orbital is equal to:

- 1) $2\sqrt{3}h$ 2) h 3) $\sqrt{6}h$ 4) $\sqrt{2}h$

66. A button cell used in watches functions as following:



If half-cell potentials are: $\text{Zn}^{2+}(\text{aq}) + 2\text{e}^{-} \rightarrow \text{Zn(s)}$ $E^{\circ} = -0.76\text{ V}$



The cell potential will be:

- 1) 1.10 V 2) 0.42 V 3) 0.84 V 4) 1.34 V

67. The correct order of increasing bond length of C–H, C–O, C–C and C = C is:

- 1) C–C < C = C < C–O < C–H 2) C–O < C–H < C–C < C = C
3) C–H < C–O < C–C < C = C 4) C–H < C = C < C–O < C–C

68. Which one of the following orders is correct for the bond dissociation enthalpy of halogen molecules?

- 1) $\text{Br}_2 > \text{I}_2 > \text{F}_2 > \text{Cl}_2$ 2) $\text{F}_2 > \text{Cl}_2 > \text{Br}_2 > \text{I}_2$ 3) $\text{I}_2 > \text{Br}_2 > \text{Cl}_2 > \text{F}_2$ 4) $\text{Cl}_2 > \text{Br}_2 > \text{F}_2 > \text{I}_2$

69. Gadolinium belongs to 4f series. It's atomic number is 64. Which of the following is the correct electronic configuration of gadolinium?

- 1) $[\text{Xe}] 4f^8 6s^2$ 2) $[\text{Xe}] 4f^9 5s^1$ 3) $[\text{Xe}] 4f^7 5d^1 6s^2$ 4) $[\text{Xe}] 4f^6 5d^2 6s^2$


70. Propionic acid with Br_2/P yields a dibromo product. Its structure would be:

- 1) $\text{CH}_2\text{Br}-\text{CHBr}-\text{COOH}$ 2) $\begin{array}{c} \text{Br} \\ | \\ \text{H}-\text{C}-\text{CH}_2\text{COOH} \\ | \\ \text{Br} \end{array}$
3) $\text{CH}_2\text{Br}-\text{CH}_2-\text{COBr}$ 3) $\begin{array}{c} \text{Br} \\ | \\ \text{CH}_3-\text{C}-\text{COOH} \\ | \\ \text{Br} \end{array}$

71. At 25°C and 730 mm pressure, 380 ml of dry oxygen was collected. If the temperature is constant, what volume will the oxygen occupy at 760 mm pressure?

- 1) 365 ml (b) 2 ml (c) 10 ml (d) 20 ml

72. Predict the product C obtained in the following reaction of 1-butyne.






- 1) $\begin{array}{c} \text{CH}_3-\text{CH}-\text{CH}_2\text{CH}_2\text{I} \\ | \\ \text{Cl} \end{array}$ 2) $\begin{array}{c} \text{I} \\ | \\ \text{CH}_3-\text{CH}_2-\text{CH}_2-\text{C}-\text{H} \\ | \\ \text{Cl} \end{array}$
3) $\begin{array}{c} \text{I} \\ | \\ \text{CH}_3-\text{CH}_2-\text{CH}-\text{CH}_2\text{Cl} \end{array}$ 4) $\begin{array}{c} \text{I} \\ | \\ \text{CH}_3\text{CH}_2-\text{C}-\text{CH}_3 \\ | \\ \text{Cl} \end{array}$

73. Following compounds are given:

- (i) $\text{CH}_3\text{CH}_2\text{OH}$ (ii) CH_3COCH_3 (iii) $\begin{array}{c} \text{CH}_3-\text{CHOH} \\ | \\ \text{CH}_3 \end{array}$ (iv) CH_3OH

Which of the above compound(s), on being warmed with iodine solution and NaOH, will give iodoform?

- 1) (i), (iii) and (iv) 2) Only (ii) 3) (i), (ii) and (iii) 4) (i) and (ii)
74. Consider the following statements.
 (1) XeF_4 is colourless crystalline solid and undergoes sublimation.
 (2) XeOF_4 is colourless volatile liquid.
 (3) XeO_4 is colourless explosive solid.
 The correct statements are:
 1) (1) and (2) only 2) (2) and (3) only 3) (1) and (3) only 4) (1), (2) and (3)
75. A solution has 1 : 4 mole ratio of pentane to hexane. The vapour pressure of the pure hydrocarbons at 20°C are 440 mm of Hg for pentane and 120 mm of Hg for hexane. The mole fraction of pentane in the vapour phase would be:
 1) 0.549 2) 0.200 3) 0.786 4) 0.478
76. One mole of Al^{3+} discharged completely by using charge?
 1) 3F 2) 1F 3) 0.3F 4) 2F
77. In which of the following molecules/ions BF_3 , NO_2^- , NH_2^- and H_2O , the central atom is sp^2 hybridised?
 1) NO_2^- and NH_2^- 2) NH_2^- and H_2O 3) NO_2^- and H_2O 4) BF_3 and NO_2^-
78. Which one of the following is a free-radical substitution reaction?
 1)  2) $\text{CH}_3\text{CHO} + \text{HCN} \rightarrow \text{CH}_3-\underset{\text{OH}}{\text{CH}}-\text{CN}$
 3)  4) 
79. Consider the following reaction:

$$\text{Ethanol} \xrightarrow{\text{PBr}_3} \text{X} \xrightarrow{\text{alc. KOH}} \text{Y} \xrightarrow[\text{H}_2\text{O, heat}]{\text{H}_2\text{SO}_4, \text{room temperature}} \text{Z}$$

 1) $\text{CH}_3\text{CH}_2\text{O}-\text{CH}-\text{CH}_3$ 2) $\text{CH}_3-\text{CH}_2-\text{O}-\text{SO}_3\text{H}$
 3) $\text{CH}_3\text{CH}_2\text{OH}$ 4) $\text{CH}_2=\text{CH}_2$
80. Which of the following is an ideal solution?
 1) Ethanol + water 2) Nitric acid + water
 3) Ethanol + benzene 4) Benzene + toluene
81. The efficiency of a fuel cell is given by:
 1) $\frac{\Delta G}{\Delta S}$ 2) $\frac{\Delta G}{\Delta H}$ 3) $\frac{\Delta S}{\Delta G}$ 4) $\frac{\Delta H}{\Delta G}$
82. Which of the following will not show cis-trans isomerism?
 1) $\text{CH}_3-\text{CH}=\text{CH}-\text{CH}_3$ 2) $\text{CH}_3-\text{CH}_2-\text{CH}=\text{CH}-\text{CH}_2\text{CH}_3$
 3) $\text{CH}_3-\underset{\text{CH}_3}{\text{C}}=\text{CH}-\text{CH}_2-\text{CH}_3$ 4) $\text{CH}_3-\underset{\text{CH}_3}{\text{C}}-\text{CH}=\text{CH}-\text{CH}_2-\text{CH}_3$
83. Among the following compounds, one that is most reactive towards electrophilic nitration is

- 1) benzoic acid. 2) nitrobenzene. 3) toluene. 4) benzene.
84. At 25°C, the dissociation constant of a base, BOH is 1.0×10^{-12} . The concentration of hydroxyl ions in 0.01 M aqueous solution of the base would be:
- 1) $2.0 \times 10^{-6} \text{ mol L}^{-1}$ 2) $1.0 \times 10^{-5} \text{ mol L}^{-1}$
 (c) $1.0 \times 10^{-6} \text{ mol L}^{-1}$ (d) $1.0 \times 10^{-7} \text{ mol L}^{-1}$
85. If the enthalpy change for transition of liquid water to steam is 30 kJ mol^{-1} at 27°C. The entropy change for the process would be:
- 1) $1.0 \text{ J mol}^{-1} \text{ K}^{-1}$ 2) $0.1 \text{ J mol}^{-1} \text{ K}^{-1}$ 3) $100 \text{ J mol}^{-1} \text{ K}^{-1}$ 4) $10 \text{ J mol}^{-1} \text{ K}^{-1}$

SECTION - B

86. In which electrophilic substitution reaction slow step is breaking of C—H bond?
- 1) Sulphonation of benzene 2) Nitration of benzene
 3) Chlorination of benzene 4) All of these
87. Acetone and ethanol can be chemically distinguished by:
- (a) I_2/NaOH (b) 2,4 DNP 3) Tollen's reagent 4) Both (a) and (b)
88. In which of the following reaction C—C bond formation does not take place?
- (1) Gattermann-Koch reaction (2) Étard reaction
 (3) Benzoin condensation (4) Swarts reaction
89. The value of ΔAH and ΔAS for the reaction,
- $\text{C}_{(\text{gradually})}(\text{s}) + \text{CO}_2(\text{g}) \rightarrow 2\text{CO}(\text{g})$ are 170 kJ and 170 JK^{-1} , respectively. This reaction will be spontaneous at:
- 1) 710 K 2) 910 K 3) 1110 K 4) 510 K
90. The experimental data for the reaction $2\text{A} + \text{B}_2 \longrightarrow 2\text{AB}$

Exp.	[A]	[B]	Rate (Ms^{-1})
1.	0.50	0.50	1.6×10^{-4}
2.	0.50	1.00	3.2×10^{-4}
3.	1.00	1.00	3.2×10^{-4}

The rate equation for the above data is:

- 1) rate = $k[\text{B}_2]$ 2) rate = $k[\text{B}_2]^2$ 3) rate = $k[\text{A}]^2[\text{B}]^2$ (c) rate = $k[\text{A}]^2[\text{B}]$
91. Given below are two statements
- Statement I:** SF_6 exists but SH_6 does not.
- Statement II:** $d\pi - p\pi$ bonding cannot take place in SH_6
- Choose the correct answer from the options given below:
- 1) Statement I is incorrect but Statement II is true.
 2) Both statement I and Statement II are true.
 3) Both Statement I and Statement II are false.
 4) Statement I is correct but statement II is false.
92. What is the correct IUPAC name of the following coordination compound.

BIOLOGY

101. The term taxon refers to
1) Name of a species
2) Name of genus
3) Name of family
4) A taxonomic group of any rank.
102. Class is present between
1) Kindom & Phylum
2) Phylum and order
3) Order and family
4) family & genus.
103. Descending arrangement of Categories is called
1) Key
2) Heirarchy
3) Taxonomy
4) Classification
104. The label of a herbarium Sheet does not carry information on
1) Date Collection
2) Name the collector
3) Local names
4) Height of the plant
105. Viroids differ from viruses is having
1) DNA molecules without.
2) RNA molecules with protein coat
3) RNA molecules without protein coat
4) DNA molecules with protein coat
106. After Karyogamy followed by meiosis, spores are produced exogenously in
1) Agaricus
2) Alternaria
3) Neurospora
4) Saccharomyces
107. Bacillus thuringiensis (Bt) strains have been used for designing novel
1) Bioinsecticidal plants
2) Bio-mineralizations
3) Biofertilizers
4) Bio-metallurgical techniques
108. Cry protein is obtained from
1) Bacillus thuringiensis
2) Bacillus subtilis
3) Clostridium Welchi
4) E-coli
109. In primary settling tank, all sediments that settle are termed as
1) Primary sludge
2) Effluent
3) Activated sludge
4) Flocs
110. The term poly adelphous is related to
1) Gyroceium
2) Androecium
3) Corella
4) Calyx
111. Coconut fruit is a
1) Berry
2) Nut
3) Capsule
4) Drupe
112. When Stamens are attached to perianth, Condition is known as
1) Epipetalous
2) Epiphyllous
3) Polyandrous
4) Diadelphous
113. Tricarpellary syncarpous gynoecium is found in flowers of
1) Fabaceae
2) Poaceae
3) Liliaceae
4) Solanaceae
114. Placentation in tomato and Lemon is
1) Marginal
2) Axile
3) Parietal
4) Free Central
115. Cork is formed from
1) Cork cambium
2) Vascular cambium
3) Phloem
4) Xylem
116. Companion cells are associated with
1) Vessel elements
2) Trichomes
3) Guard cells
4) Sieve elements
117. The most primitive type of stele is
1) Eustele
2) Solenostele
3) Protostele
4) Siphonostele.

118. The functional xylem of dicot tree is
 1) Sap wood 2) Hard wood 3) Heartwood 4) Autumn
119. Age of a tree Can be estimated by
 1) Number of annual rings 2) Diameter of its heartwood
 3) Its height and girth 4) Biomass
120. Inflorescence is racemose in
 1) Brinjal 2) Tulip 3) Aloe 4) Soyabean
121. The mechanism that causes a gene to move from one linkage group to another
 1) Inversion 2) Duplication 3) Translocation 4) Crossing-over
122. Which of the following most appropriately describes haemophilia.
 1) Chromosomal disorder 2) Dominant gene disorder
 3) Recessive gene disorder 4) Recessive gene disorder
123. The ratio of complementary genes in F_2 generation
 1) 12:3:1 2) 9:8 3) 9:3:4 4) 9:6:1
124. Which one is the incorrect statement with regard to the importance of Pedigree analysis.
 1) It confirms that DNA is the carrier of genes information
 2) It helps to understand whether the trait question is dominant or recessive
 3) It confirms that the trait is linked to one of the autosomes
 4) It helps to trace the inheritance of a specific trait
125. Down's Syndrome in humans is due to
 1) The X chromosome 2) Three copies of Chromosomes
 3) Monosomy 4) Two Y chromosomes.
126. Uridine, present only in RNA is a
 1) Nucleoside 2) Nucleotide 3) Purine 4) Pyrimidine
127. Which of the following is the start codon
 1) UAA 2) UAG 3) AUG 4) UGA
128. The final proof of DNA as the genetic material came from the experiments of
 1) Hershey & Chase 2) Avery, McCleod & McCarty
 3) Hershey & Khorana 4) Griffith
129. Which of the following is a codon that codes for Proline
 1) CCC, CCU, CCG 2) UCC, UGU, CCU 3) CUG, CUU, CUA 4) CGC, CGG, CCA.
130. Which one of the following is a restriction endonuclease
 1) DNase I 2) RNase 3) Hind II 4) Protease
131. The cutting of DNA at specific locations became possible with the discovery of
 1) Selectable markers 2) Ligases 3) RE 4) Probes
132. Which organism is used to transfer T-DNA
 1) *Streptomyces hygroscopicus* 2) *Agrobacterium tumefaciens*
 3) *Salmonella typhi* 4) *E. coli*
133. A gene whose expression helps to transform a cell is known as
 1) Vector 2) Plasmid 3) Structural gene 4) Selectable markers
134. Natality refers to
 1) Number of individuals leaving the habitat 2) Birth rate
 3) Death rate 4) Number of individuals entering a habitat

135. Mycorrhizae are the example of
 1) Ammensalism 2) Antibiosis 3) Mutualism 4) Fungistasis
136. The age pyramid with broad base indicates
 1) High percentage of old individuals 2) Low Percentage of young individuals
 3) A stable population 4) High Percentage of Young individuals.
137. The term ecosystem was coined by
 1) Haeckel 2) E. Warming 3) E. P. Odun 4) A.G. Tansley
138. Which ecosystem has the maximum biomass
 1) Grassland ecosystem 2) Pond ecosystem 3) Lake ecosystem 4) Forest ecosystem
139. What is the National Aquatic Animal of India?
 1) Blue Whale 2) Sea Horse 3) Gangetic Shark 4) River Dolphin
140. Which of the following structures is not found in a prokaryotic cell
 1) Mesosome 2) Plasmamembrane 3) Nuclear envelope 4) Ribosome
141. A cell organelle containing hydrolytic enzymes
 1) Lysosome 2) Microsome 3) Ribosome 4) Mesosome
142. The Golgi Complex participates in
 1) Respiration in bacteria 2) Formation of secretory Vesicles
 3) Fatty acid breakdown 4) Activation of Amino acid
143. Which of the following are not polymeric
 1) Proteins 2) Polysaccharides 3) Lipids 4) Nucleic acids
144. Which of the following is the least likely to be involved in stabilising the 3-dimensional folding in most protein
 1) Hydrogen bonds 2) Electrostatic Interaction
 3) Hydrophobic Interaction 4) Ester bonds
145. In cell cycle, changes of which stage are not visible under microscope
 1) Interphase 2) Prophase 3) Metaphase 4) Anaphase
146. Duplication of DNA occurs in
 1) G1-phase 2) S-phase 3) G2-Phase 4) M-phase
147. In meiosis Crossing over is initiated at
 1) Zygotene 2) Diplotene 3) Pachytene 4) Leptotene
148. Which is the longest phase of the cell cycle
 1) M-phase 2) Interphase 3) Leptotene 4) S-phase
149. During Cell growth, DNA synthesis takes place in
 1) S-phase 2) Intekinesis 3) Diploteme 4) Interphase
150. Chromosome can be seen best during
 1) Prophase 2) Metaphase 3) Anaphase 4) Telophase

ZOOLOGY

151. Branch of Zoology connected with the improvement of Human Race through laws of heredity is
 1) Eugenics 2) Euthenics 3) Euphenics 4) Eithology
152. Father of Taxonomy is
 1) William Harvey 2) Carolous Lineus 3) Aristotle 4) Theophrastus
153. Inter convertibility of Sol-gel is
 1) Natural change 2) Physical change
 3) Chemical change 4) Physico-Chemical change
154. Which of the following coelenterate does not exhibit metagenesis
 1) Obelich 2) Aurelia 3) Hydra 4) Physalia
155. Match the following columns and choose the correct answer
- | Column – A | Column – B |
|-----------------------|----------------------------|
| A. Polyembryony | I. Schistosoma hasmatobium |
| B. Liver fluke | II. Dibothricephulus |
| C. Bilharziasis | III. Trematoda |
| D. Largest tape worm | IV. Hymenolepis nana |
| E. Smallest tape worm | V. Fasciola |
- | | A | B | C | D | E |
|----|-----|----|-----|----|----|
| 1) | II | I | III | IV | V |
| 2) | III | V | I | IV | II |
| 3) | III | V | I | II | IV |
| 4) | III | IV | I | II | V |
156. The larva which performs Nocturnal periodicity
 1) Planula 2) Rhabiditi form larva
 3) Microfilaria 4) Cysticercus
157. Match the following and choose the correct answer
- | Column – A | Column – B |
|-----------------------------------|-------------------------|
| A. Stratified cuboidal epithelium | I. Ducts of Paratid |
| B. Simple cuboidal epithelium | II. Thyroid gland |
| C. Simple columnar epithelium | III. Cornea of eyes |
| D. Simple squamous epithelium | IV. Conjunctiva of eyes |
| | V. Trachea and Bronchi |
- | | A | B | C | D |
|----|----|-----|-----|-----|
| 1) | V | III | II | I |
| 2) | IV | II | I | V |
| 3) | II | IV | I | III |
| 4) | V | II | III | IV |
158. Find out the correct series of diagram
 1) artery, lacunae, canaliculi 2) Canaliculi, volkman’s canal, vein
 3) Volkman’s canal, lacunae, bone lamellae 4) Vollkman’s canal, lacunae, canaliculi
159. Aristotle’s lanten in echinoids is known as

- 1) Alimentary organ 2) Supplementary organ 3) Mastigatory organ 4) All
160. Aquatic organism with limited power of locomotion are called
 1) Plankton 2) Nektons 3) Neustons 4) Periphytons
161. One of the following is useful measures for prevention and control of TDA abuse among the adolescents
 A) Avoid undue parental pressure, and by Responsibility of parents and teachers
 B) Seeking help from peers, education and counseling
 C) Seeking help from professional, alcohol and drug consumptive persons
 1) A and C are true, B is false 2) B and C are true, A is false
 3) A and B are true, C is false 4) A, B and C are true, None is false
162. In earthworm lateral Heart can be differentiated from lateral oesophageal Hearts by the presence of
 1) 2 pairs of valves 2) 3 pairs of valves 3) 4 pairs of valves 4) All
163. Rapid increase in the number of cells in the organ of host due to the presence of a parasite is known as
 1) Hyperplasia 2) Hypertrophy 3) Over growth 4) Necrosis
164. The body cavity of cockroach is not a true body cavity, filled with blood is called
 1) Haemato fluid 2) Haemalymph 3) Haemocoel 4) Pseudocuel
165. Read the following statement and choose the correct answer
 A. In Phereretima dorsal Blood vessel is collecting and distributing Blood vessel.
 B. Dorsal Blood vessel is considered as true heart in earthworm.
 1) A & B are false 2) A is correct and B is correct explainaihen to A.
 3) A is false and B is true. 4) A is correct explanation to B, But B is false
166. Choose the Correct Statement regarding malaria and its parasite.
 I. Malaria Caused in man by plasmodium vivax.
 II. Every year world Mosquito day is celebrated on 20th August
 III. Sexual Cycle of plasmocdium discovered by Ronald Ross in female Anopheles.
 IV. Anisogamy and Isogamy are the Naturally Seen Reproduction in plasmodium vivax.
 1) I, II, & III 2) II, III, IV 3) I, II & III 4d) III, IV, II
167. Choose the Correct statement of the following regarding circulation in frog.
 I. Heart is 3 Chambered.
 II. Heart Situated in pericardial Cavity
 III. Conus arteriosus is absent
 IV. Blood contains erythrocytes, leucocytes and thrombocytes.
 V. Sinus venosus is not a Pacemaker.
 1) I, II & V, 2) I, III & IV 3) I, II & III 4) I, II, IV
168. The Mass of eggs are released by the female frog is named
 1) milt 2) Spawn 3) 1 & 2 4) ova
169. The arrangements of Abdominal ganglia in Seguments cockroach is
 1) 1,2,3,5,6,7 2) 1, 2, 3, 4, 6, 7 3) 1, 3, 4, 5, 6, 7 4) 1, 2, 3, 4, 5, 7
170. Fat bodies in Cockroach are Similar to
 1) The liver of Invertebrates stores food & uric acid

- 2) The liver of vertebrates stores food & uric acid, Symbioses & Synthesize lipids.
- 3) The heart of vertebrates, filter the blood & Circulation,
- 4) The Brain of Invertebrate & co-ordinate the all body functions.

171. Mouth parts of Insects are

- 1) Homologous organs 2) Analogous organs. 3) Vestigial organs. 4) Atavistic organs.

172. Break-bone fever is also known as

- 1) yellow fever 2) Malaria 3) Filariasis 4) Dengue fever

173. Chikungunya transmit to man by

- 1) Infected person 2) Mosquito
- 3) infected female Aedes aegyptimosquito 4) Culex female

174. The Symptoms of Dengue fever are are begins after biting of mosquito to man is


- 1) 1 to 2 days 2) 2 to 4 days 3) 7 to 10 days 4) 4 to 10 days.

175. One of the following are Symptoms & Signs of dengue fever.

- 1) Headach & muscular pain 2) Bone or Joint pains
- 3) High fever, Rash & Swollen glands 4) All

176. Look the diagram & find out the correct Series of Names

- 1) Posterier thoracic air sac, Inter claricle, Abdominal, trachea
- 2) Cervical, Inter claricle, Right lung, Abdominal
- 3) Cervical, Inter claricle, Abdominal & Posterier thoracic air sac.
- 4) Cervical, Inter claricle, left lung, posterier theroic



177. Match the following columns.

S.NO	Food Substances.	Enzyme	Products.
I	Carbohydrates.	Amylase	maltose, Sucrose & lactose
II	Maltose	Maltase	Glucose & Galaclose
III	Sucrose	Invertrase	Glucose + Cellulose
IV	Lactose	Lactase	Glucose & Galaclose

which of the Above are Correct.

- 1) I & II 2) II & III 3) III & IV 4) I & IV

178. A Healthy human breaths normally per minute.

- 1) 12 to 13 times 2) 12 to 15 times 3) 12 to 16 times 4) 13 to 18 times.

179. Match the following and choose the correct Answer

A. Asbestosis	I. in halation of coal dust
B. Silicosis	II in halation of cold dust
C. Siderosis	III. Hyper ferremia
D. Black lung disease	IV. Asbestos industry
	V. Silica dust

- | | A | B | C | D |
|----|----|----|-----|----|
| 1) | I | II | III | IV |
| 2) | IV | V | III | II |
| 3) | IV | V | II | I |
| 4) | IV | V | III | I |

180. In human being Heart beat is initiated by

- 1) A. V.node b) S. A node 3) Sinus venosus 4) Purkenji fibres.

181. Steps involve in Heart beat are

- 1) Auricular systole → ventricular diastole → ventricular Systole
- 2) Auricular systole → ventricular systole → ventricular diastole
- 3) Auricular systole → ventricular systole → diastole of Complete Heart
- 4) None of these

182. One of the following high, B.P is fatal to human's Kidney & Brain.

- 1) $1 \frac{190}{110} Hg$
- 2) $\frac{120}{190} Hg$
- 3) $\frac{150}{90} Hg$
- 4) $\frac{120}{80} Hg$

183. **Assertion (A)** Infection of the urinary tract is more common in woman than in man.

Reason (R) Due to Short urethra, which is more close to the Anal aperture.

- 1) A is true, R is false
- 2) A is true, R is true, but R is not the correct explanation of A.
- 3) A is true, R is true and R is the correct explanation of A.
- 4) A is false R is false and R is the correct explanation of A.

184. Match the following & choose the correct Answer

- | | |
|----------------------------|---|
| A. Motor unit | I. Neuron & set of the Muscle fibres innervated by |
| B. Neuro Muscular Junction | telodendrites & constitute. |
| C. Functional unit | II. Sarcomere of striated muscle. |
| D. Voluntary muscle | III. Cardiac muscle |
| | IV. Junction between a motor neuron and Sarcolemma. |
| | V. Skeletal muscles. |

- | | A | B | C | D |
|----|----|----|-----|----|
| 1) | I | II | III | IV |
| 2) | II | I | III | IV |
| 3) | I | IV | V | II |
| 4) | I | IV | II | V |

185. Smallest bone in human's body

- 1) Atlas
- 2) Malleus
- 3) Sterna
- 4) Patella

186. Match the following & choose the correct Answer

Column-I

- A. Myocoel
- B. Diacoel
- C. Lateral ventricle
- D. Rhinocoel

Column - II

- I. Olfactory lobe
- II. Cerebral hemisphere.
- III. Foramen of monro
- IV. Diencephalon
- V. Medulla oblongata

- | | A | B | C | D |
|----|----|----|-----|----|
| 1) | V | IV | III | I |
| 2) | V | IV | II | I |
| 3) | V | IV | I | II |
| 4) | IV | V | II | I |

187. Re absorption of H₂O in Nephrons is controlled by

- 1) ACTH
- 2) STH
- 3) Vasopressin
- 4) Oxytocin

188. Hormone which stops ovulation is
 1) F.S.H 2) L. H 3) Prolactin 4) Progesterone
189. The body is covered by fine hair, eye lids, eye lashes are formed by the end of
 1) 24 weeks in third trimester 2) 24 weeks in 2nd trimester
 3) 36 weeks in 2nd trimester 4) 36 weeks in 3rd trimester..
190. Formation & Development of blastocyst and its attachment to the uterine wall is called
 1) Perturbation 2) Puberty 3) Implantation 4) Gestation
191. Match the following & choose the correct Answer.

Column-I

- A. Gonorrhoea
 B. Hepatitis
 C. Trichomoniasis
 D. Syphilis

Column-II

- I. Trichomonas vaginalis.
 II. Troponema pallidum
 III. HBV
 IV. Neisseria gonorrhoeae
 V. Typhi Salmonella

- | | A | B | C | D |
|----|----|-----|----|----|
| 1) | IV | V | I | II |
| 2) | IV | III | V | I |
| 3) | IV | III | I | II |
| 4) | IV | III | II | I |

192. A man known to be a victim of Haemophilia marries a normal woman, whose father was known to be a bleeder then this expected that
 1) one fourth of their children will be bleeders.
 2) All their children will be bleeders.
 3) Half of their children will be bleeders
 4) None of these.
193. A Colourblind man married a woman who is the daughter of a Colourblind father and mother is homogenous Normal vision.
 What is the probability of their daughters being colorblind.
 1) 50% 2) 100% 3) 75% 4) 25%
194. DNA finger printing is a method for Identifying individuals, paternity & forensic work. The DNA can be obtained from
 1) Blood, Semen & Hairs 2) Vaginal fluid 3) 1 & 2 4) None of these.
195. One of the following is sex influence trait.
 1) albinism 2) Baldness 3) Blood Group inheritance 4) All

196. Match the following Columns & Choose the correct Answer

S.NO.	Sex Chromosomes	Haplod Seb of Auto Seames	Sex Ratio	Phenotype
I	XX	AA	1.0	female
II	XX	AA	0.5	female
III	XXY	AA	1.0	female
IV	XXXY	AA	1.5	meta female
V	XO	AAA	0.33	meta male

which one of the above is correct match.

- 1) I, II & III 2) I, II, III & IV 3) I, III, IV, V 4) II, III, IV & V

197. A woman's father shows IP (Incontinentia pigmenti). But her Mother & Husband are normally pigmented. What will be the phenotypic ratio of her children of I.P.

- 1) 50%, Sons 2) 50%. daughters 3) 100% Sons. 4) 1 & 2

198. Match the following & Choose the Correct Answer.

Column-I

- A. Biogenetic law
B. Mutation
C. Germ plasm
D. Pangenesis

Column-II

- I. August Weismann
II. Darwin
III. Louis Pasture
IV. Ernst Haukle
V. Hugo Devries

- | | A | B | C | D |
|----|----|---|----|-----|
| 1) | IV | V | II | I |
| 2) | IV | V | I | II |
| 3) | IV | V | I | III |
| 4) | IV | I | II | III |

199. Hyper Sensitivity is

- 1) Produced by Antigen
2) Produced by Immune Complexe called Allergy.
3) Produced by high temperature of the body,
4) None of these.

200. Match the following & choose the Correct Answer.

Column-I

- A. CAT
B. EEG
C. MRI
D. ECG

Column-II

- I. Electro Encephalography
II. Magnetic Resonance Image
III. Computerised Axial Tomography
IV. Electro Crdio graphy
V. Electro Angio graphy.

- | | A | B | C | D |
|----|-----|----|----|----|
| 1) | III | II | I | IV |
| 2) | III | I | II | V |
| 3) | III | I | II | IV |
| 4) | III | II | I | V |